

Form PTO-1449

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICEATTY. DOCKET NO.
298-248

SERIAL NO.

APPLICANTS Christoph Gauer

INFORMATION DISCLOSURE
STATEMENT BY APPLICANT

FILING DATE June 28, 2004

GROUP ART UNIT

(Use several sheets if necessary)

U.S. PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE

FOREIGN PATENT DOCUMENTS

	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO
	19545130	6/1997	Germany				
	10055318	12/2001	Germany				
	10120035	11/2002	Germany				
	99/54730	10/1999	International				
	3913632	10/1990	Germany				
	197 02621	7/1998	Germany				
	19949735	5/2001	Germany				

OTHER PRIOR ART (Including Author, Title, Date, Pertinent Pages, Etc.)

Muller, "Microfluidics: Lap-on-a-Chip-Technologie-Revolution im(bio-)analytischen Labor", Transkript Laborwelt No. 1, 2000, pp.36-38

Osborn, "Innovations Forum: A Review of Radioactive and Non-Radioactive-Based Techniques used in life science applications - Part II: High-throughput Screening", Life Science News, March 2001, Amersham Pharmacia Biotech (4 pages)

Jelesarov and Bosshard, "Review: Isothermal titration calorimetry and differential scanning calorimetry as complementary tools to investigate the energetics of biomolecular recognition", J. Mol. Recognit. 1999; 12:3-18

EXAMINER

DATE CONSIDERED

* EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.